



COLUMN TYPE	COLUMN SIZE	LONGITUDINAL REINFORCEMENT	LATERAL TIFS	REMARKS
C-1	250 1750	16-16mm ϕ	10mm ϕ @ 250mm C/C	
C-2	250 1750	16-20mm ϕ	10mm ϕ @ 250mm C/C	
C-3	300 300	8-16mm ϕ	10mm ϕ @ 250mm C/C	
C-4	250 300	8-16mm ϕ	10mm ϕ @ 250mm C/C	
C-5	250 300	8-20mm ϕ	10mm ϕ @ 250mm C/C	
C-6	250 1500	14-16mm ϕ	10mm ϕ @ 250mm C/C	

NOTE:
FOR DETAIL INFORMATION PLEASE SEE NOTES OF DRG. NO. S-4202-4A

REV LETTER	DESCRIPTION	BY DATE	APPROVED	CSC CHECKED
A	CORRECTION	H.R. 28.9.06		
REVISIONS				
JAMUNA MULTIPURPOSE BRIDGE CONTRACT-4 WEST ROAD APPROACH JAMUNA MULTIPURPOSE BRIDGE AUTHORITY				
TITLE: FIRE STATION FOUNDATION & BEAM REINF. DETAIL				
DESIGN	DRAWN	CHECKED	APPROVED	CSC CHECKED
ASST. ENG.	PLAN. ENG.	PLAN. MNG.	P.M	E.R
SAMWHAN CORPORATION				
SCALE AS SHOWN	FILE REF	DRG D	NO 4	S-4202-1A